

- Laser Instruments
- Optical Instruments
- Accessories
- About David White

LEVEL AND TRANSIT



LT8-300
Universal Level-Transit

AUTOLEVEL



AL8-32
Automatic Level 32X

SPECIALTY



DTS05
Electronic Total Station —
5 Second



LT8-300P
Universal Level-Transit With
Optical Plummet



AL8-28
Automatic Level 28X



DWT-10
Digital Theodolite—10 Second



LT6-900N
Meridian Level-Transit With
Horizontal Circle



AL8-26
Automatic Level 26X



L6-20N
Meridian Level With Horizontal
Circle



AL8-22
Automatic Level 22X

Nobody Helps You Build Better... Since 1895

CST/berger

LASERMARK

ROLATAPE

- Laser Instruments
- Optical Instruments
- Accessories
- About David White

LT8-300

Universal Level-Transit



 [Click to Enlarge](#)

- 26X Level-Transit
- $\pm 3/16$ -in.(4.75mm) at 150-ft.(45m) leveling accuracy
- Up to 400-ft.(120m) range
- Horizontal circle, lock and tangent
- Vertical arc, lock and tangent
- 1:100 stadia with glass reticle

44-8870

Plumb bob, rain hood, objective lens cap, and carrying case

Nobody Helps You Build Better... Since 1895

CST/berger

LASERMARK

ROLATAPE

- Laser Instruments
- Optical Instruments
- Accessories
- About David White

AL8-32

32X Automatic Level

 [Click to Enlarge](#)

- 32X Automatic Level
- 1/16-in.(1.5mm) at 100-ft.(30m) leveling accuracy
- Up to 350-ft.(105m)
- Lock-out device
- Large aperture
- Wire-hung magnetically dampened compensator- within ± 15 arc minutes of level
- Built-in sighting scope and bubble vial
- Soft control knobs
- Horizontal circle
- Infinite tangent screw

45-8932

Plumb bob, rain/dust shade, adjusting tools, manual, and carrying case

45-8932-1

Extension-leg aluminum tripod, aluminum leveling rod graduated in feet/inches/8ths and carrying case

*Nobody Helps You Build Better... Since 1895***CST/berger****LASERMARK****ROLATAPE**

DTS05

Electronic Total Station– 5-second

 [Click to Enlarge](#)

- 5-Second angular accuracy
- 30X magnification
- 1° 30' field of view
- Up to 8,202-ft.(2,500m) range with 3 prisms, up to 5,249-ft.(1,600m) with 1 prism
- $\pm(2+2\text{ppm} \times D)\text{mm}$ EDM accuracy
- Single axis tilt sensor
- Dual-sided graphic display and alphanumeric keyboard
- Ideal for surveying and construction, mapping and GIS, utilities, environmental studies, geomarking

46-DTS05

Battery pack (2), battery charger, plumb bob, tool set, rain cover, carrying case, software and cable, manual

*Nobody Helps You Build Better... Since 1895***CST/berger****LASERMARK****ROLATAPE**

[Laser Instruments](#)[Optical Instruments](#)[Accessories](#)[About David White](#)

LT8-300P

Universal Level-Transit with Optical Plummet



[Click to Enlarge](#)

- 26X Level-Transit
- $\pm 3/16$ -in.(4.75mm) at 150-ft.(45m) leveling accuracy
- Up to 400-ft.(120m) range
- Horizontal circle, lock and tangent
- Vertical arc, lock and tangent
- 1:100 stadia with glass reticle
- Optical Plummet

44-8871

Rain hood, objective lens cap, and carrying case

Nobody Helps You Build Better... Since 1895

CST/berger

LASERMARK

ROLATAPE

AL8-28

28X Automatic Level



 [Click to Enlarge](#)

- 28X Automatic Level
- 1/16-in.(1.5mm) at 100-ft.(30m) leveling accuracy
- Up to 300-ft.(90m)
- Lock-out device
- Large aperture
- Wire-hung magnetically dampened compensator- within ± 15 arc minutes of level
- Built-in sighting scope and bubble vial
- Soft control knobs
- Horizontal circle
- Infinite tangent screw

45-8928

Plumb bob, rain/dust shade, adjusting tools, manual, and carrying case

45-8928-1

Extension-leg aluminum tripod, aluminum leveling rod graduated in feet/inches/8ths and carrying case

Nobody Helps You Build Better... Since 1895


CST/berger

LASERMARK

ROLATAPE

DWT-10

Electronic Digital Transit/Theodolite— 10 second

 [Click to Enlarge](#)

- 30X Magnification
- 1/16-in.(1.5mm) at 100-ft.(30m) leveling accuracy
- Up to 400-ft.(120m)
- 5-second vertical and horizontal angular readout
- Dual LCD display
- Vertical angle measuring
- Optical plummet
- Zero resetting
- Built-in battery pack


46-8890

Batteries, sun shade, tool kit, rain cover, drying cloth, plumb bob and carrying case

Accessories[Diagonal Eyepiece](#)*Nobody Helps You Build Better... Since 1895***CST/berger****LASERMARK****ROLATAPE**

LT6-900N

Meridian Level-Transit with Horizontal Circle

 [Click to Enlarge](#)

- 22X Level-Transit
- 1/4-in.(6mm) at 100-ft.(30m) leveling accuracy
- Up to 200-ft.(60m) range
- Horizontal circle
- Lock level
- Vertical arc
- Clamp and tangent screws
- Ruggedly built and time-proven, handles both horizontal and vertical light construction jobs

44-8834

Plumb bob and carrying case


44-8834-1

Plumb bob, extension-leg aluminum tripod, aluminum leveling rod graduated in feet/inches/8ths and carrying case

*Nobody Helps You Build Better... Since 1895***CST/berger****LASERMARK****ROLATAPE**

AL8-26

26X Automatic Level

 [Click to Enlarge](#)

- 26X Automatic Level
- 3/32-in.(2.4mm) at 100-ft.(30m) leveling accuracy
- Up to 300-ft.(90m)
- Lock-out device
- Large aperture
- Wire-hung magnetically dampened compensator- within ± 15 arc minutes of level
- Built-in sighting scope and bubble vial
- Soft control knobs
- Horizontal circle
- Infinite tangent screw

45-8926

Plumb bob, rain/dust shade, adjusting tools, manual, and carrying case

45-8926-1

Extension-leg dome head aluminum tripod, aluminum leveling rod graduated in feet/inches/8ths and carrying case

45-8926-3

Extension-leg dome head aluminum tripod, aluminum leveling rod graduated in feet/inches/8ths and tri-case

45-TRCS

Case - Carrying, All-in-one tricase

*Nobody Helps You Build Better... Since 1895***CST/berger****LASERMARK****ROLATAPE**

L6-20N

Meridian Level with Horizontal Circle



 [Click to Enlarge](#)

- 22X Level-Transit
- 1/4-in.(6mm) at 100-ft.(30m) leveling accuracy
- Up to 200-ft.(60m) range
- Horizontal circle
- Lock and tangent screw
- Versatile- ideal for leveling foundations, driveways, patios, floors, sills, for grading streets, curbs, ditches; for aligning construction job
- Built-in sunshade- for clear sightings

44-8824

Plumb bob and carrying case

44-8824-1

Plumb bob, extension-leg aluminum tripod, aluminum leveling rod graduated in feet/inches/8ths and carrying case

Nobody Helps You Build Better... Since 1895

CST/berger


LASERMARK

ROLATAPE

AL8-22

22X Automatic Level



 [Click to Enlarge](#)

- 22X Automatic Level
- 1/8-in.(3mm) at 100-ft.(30m) leveling accuracy
- Up to 200-ft.(60m)
- Lock-out device
- Large aperture
- Wire-hung magnetically dampened compensator- within ± 15 arc minutes of level
- Built-in sighting scope and bubble vial
- Soft control knobs
- Horizontal circle
- Infinite tangent screw

45-8922

Plumb bob, rain/dust shade, adjusting tools, manual, and carrying case

45-8922-1

Extension-leg dome head aluminum tripod, aluminum leveling rod graduated in feet/inches/8ths and carrying case

Nobody Helps You Build Better... Since 1895

CST/berger

LASERMARK

ROLATAPE